



We create chemistry

19.01.2021  
BASF SE, 67056 Ludwigshafen  
Global Quality Assurance  
APT/QA-V5  
Marco Thiery  
Phone: 0621 60 74930

Internal process No.: 905021406294  
Manufacturing Site: Slovenia  
Material: 58527965  
Product: Polyram® DF, 1X10 KG, SI  
Batch: CH.8468760€ WF  
CH.9488096€ WF

## Test Report

	Spez.		
Batch		WF	WF
Sample		CH.84687609T0	CH.94880968E0
Sample-Nr.		2,00	3,00
Testplan		WFPOC06	WFPOC06
Probenlogistik extern		1 Werktag	1 Werktag
AP fest , brown		conform	conform
TI Metiram	67,5-72,5%	69,0	71,7
BW-TI Metiram	675-725g/kg	690	717
LC ETU	<1,00g/kg	0,50	0,69

### Results:

Re-analyse

Date of Re-analyse: 19.01.2021

Based on the results of the analysis, the product can be used further.

The shelf life can be extended (24 months)

Glede na opravljeno analizo se  
proizvodu Polyram® DF v 10 kg  
pakiranju podaljša rok trajanja do:  
19.1.2023

Šarža: 84687609T0

Šarža: 94880968E0

Marco Thiery  
Quality Assurance Crop Protection

BASF SLOVENIJA d.o.o.  
LJUBLJANA, Dunajska cesta 165 4

The data contained in this publication are based on our current knowledge and experience. The results refer only to the investigated sample. The sole responsibility of the toll manufacturer will remain unaffected by these investigations. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.: