



We create chemistry

27.09.2021
BASF SE, 67056 Ludwigshafen
Global Quality Assurance
APT/QA-V5
Marco Thiery
Phone: 0621 60 74930

Internal process No.: 905022046681
Manufacturing Site: Slovenia
Material: 58527965
Product: Polyram® DF, 1X10 KG, SI
Batch: BATCH 09304556P0
BATCH 68056016K0

Test Report

	Spez.		
Batch		WF	WF
Sample		BATCH 09304556P0	BATCH 68056016K0
Sample-Nr.		2,00	3,00
Testplan		WFPOC06	WFPOC06
Probenlogistik extern		1 Werktag	1 Werktag
AP fest , brown		conform	conform
TI Metiram	67,5-72,5%	70,7	70,4
BW-TI Metiram	675-725g/kg	707	704
LC ETU	<1,00g/kg	0,96	0,43

Results:

Re-analyse

Date of Re-analyse: 27.09.2021

Based on the results of the analysis, the product can be used further.
The expiry date can be extended (24 months)

Glede na opravljeno analizo se
proizvodu **Polyram** podaljša rok
uporabe do **27.9.2023 pri dveh**
pakiranjih:

1kg pakiranje sarža: 09304556P0
0,25 kg pakiranje sarža: 68056016K0

BASF SLOVENIJA d.o.o.
LJUBLJANA, Dunajska cesta 165 2

Marco Thiery
Quality Assurance Crop Protection

The data contained in this publication are based on our current knowledge and experience. The results refer only to the investigated sample. The sole responsibility of the toll manufacturer will remain unaffected by these investigations. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

Internal