



We create chemistry

04.07.2022
BASF SE, 67056 Ludwigshafen
Global Quality Assurance
APT/QA-V5
Marco Thiery
Phone: 0621 60 74930

Internal process No.: 905022671185
Manufacturing Site: Slovenia
Material: 58046802
Product: Scala®, 10X1 L, SI
Batch: WF 0019872661

Test Report

| | Spez. | |
|------------------------|-----------------|------------|
| Batch | | 0019872661 |
| Sample | | WF |
| Sample-Nr. | | 1,00 |
| Testplan | | WFSCA01 |
| Probenlogistik extern | | 1 Werktag |
| AP liquid , brown | | conform |
| Density Gas-Pyknometer | 1,052-1,112g/ml | 1,086 |
| LC Pyrimethanil | <100,0% | 36,1 |
| BW-LC Pyrimethanil | 380-420g/l | 392 |

Results:

Re-analyse

Date of Re-analyse: 04.07.2022

Based on the results of the analysis, the product can be used further.

The expiry date can be extended (36 months)

Glede na opravljeno analizo dne 4.7.2022
se pri proizvodu Scala v 1L pakiranju
podaljša rok uporabe do dne 4.7.2024.

Sarža: 0019872661

Branko Zupančič

Marco Thiery
Quality Assurance Crop Protection

The data contained in this publication are based on our current knowledge and experience. The results refer only to the investigated sample. The sole responsibility of the toll manufacturer will remain unaffected by these investigations. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.: