

27.10.2022 BASF SE, 67056 Ludwigshafen Global Quality Assurance APT/QA-V5 Marco Thiery

Phone: 0621 60 74930

Internal process No.: 905023003251

Manufacturing Site: Slowenia

Material: 58010322

Product: Focus® Ultra,10X1 L,SI

Batch: CH.47580475L0 47580475L0

Test Report

	Spez.	
Batch		47580475L0
Sample		CH.47580475L0
Sample-Nr.		1,00
Testplan		WFFOC03
Probenlogistik extern		1 Werktag
AP liquid , yellow - orange		conform
Density DMA	0,910-0,950g/ml	0,917
LC Cycloxydim	<100,0%	11,2
BW-LC Cycloxydim	90-110g/l	103

Results:

Re-analyse

Date of Re-analyse: 27.10.2022

Based on the results of the analysis, the product can be used further.

The expiry date can be extended (24 months)

Glede na opravljeno analizo se proizvodu **Focus Ultra** podaljša rok uporabe do

27.10.2024.

Pakiranje: 1L

Sarža: 47580475L0

Marco Thiery

Quality Assurance Crop Protection

BASF SLOVENIJA d.o.o. LJUBLJANA, Dunajska cesta 165 2

The data contained in this publication are based on our current knowledge and experience. The results refer only to the investigated sample. The sole responsibility of the toll manufacturer will remain unaffected by these investigations. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.: