



We create chemistry

27.10.2022
BASF SE, 67056 Ludwigshafen
Global Quality Assurance
APT/QA-V5
Marco Thiery
Phone: 0621 60 74930

Internal process No.: 905023003253
Manufacturing Site: Slovenia
Material: 58022905
Product: Signum®, 10X1 KG, SI
Batch: CH.12-0007: 12-000724

Test Report

	Spez.	
Batch		12-000724
Sample		CH.12-000724
Sample-Nr.		1,00
Testplan		WFSIG011
Probenlogistik extern		1 Werktag
AP fest , brown		conform
LC Pyraclostrobin	6,03-7,37%	6,56
LC Boscalid	25,4-28,0%	26,7

Results:

Re-analyse
Date of Re-analyse: 27.10.2022
Based on the results of the analysis, the product can be used further.
The expiry date can be extended (36 months)

Glede na opravljeno analizo se proizvodu
Signum podaljša rok trajanja do **27.10.2025**

Pakiranje: **1kg**
Sarža: **12-000724**

Marco Thiery
Quality Assurance Crop Protection

BASF SLOVENIJA d.o.o.
LJUBLJANA, Dunajska cesta 165 2

The data contained in this publication are based on our current knowledge and experience. The results refer only to the investigated sample. The sole responsibility of the toll manufacturer will remain unaffected by these investigations. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.: